

# TISSUES

Multicellular organisms are made of millions of cells. Cells show division of labour and each cell performs a particular function efficiently. Such cells are grouped together and is called tissue.

**TISSUE** : A group of cells that are similar in structure and origin (come from same parent cell) and perform similar function.

**HISTOLOGY** : Study of tissues



CELLS



nucleus, mitochondria



TISSUES



cardiac muscle



ORGANS



heart



SYSTEMS



circulatory system

# ARE PLANTS AND ANIMALS MADE OF SAME TISSUES?

ANIMAL TISSUE	PLANT TISSUE
Since animals are mobile so they require more energy, hence more living tissues are required.	Since plants are stationary so they do not require much energy, Hence more living tissues are not required.
Animals move from one place to another in search of food, shelter etc., hence they need more energy and there more tissues are living.	In plants, most tissues provide structural strength. Most of these tissues are dead 9can provide mechanical strength as easily as the living ones and need less maintenance.
Cell growth is uniformly distributed	Growth is limited to certain regions
Structural organisation of organs and organ	Structural organisation of organs is


## **NOTEBOOK WORK:**

### **SUBTOPIC: ARE PLANTS AND ANIMALS MADE OF SAME TYPES OF CELLS**

**Tissue** : A group of cells that are similar in structure and origin (come from same parent cell) perform similar function.

- 1. Are the tissues present in plants and animals same?**
- 2. In unicellular organisms, a single cell carries out all the functions, what about multicellular organisms?**
- 3. Intext Q2 pg 69**

# Plant Tissue






# MERISTEMATIC TISSUE (MERISTEM)

- have the power to divide to form new cells.
- increase the length and girth (width) of plants and are found in growing areas of plants.
- new cells that are produced by the meristem are similar to the meristem, but as they grow their characteristics change and they differentiate.

**CHARACTERISTICS :** Cells are active (living), have dense cytoplasm, thin cellulose walls, prominent nuclei and lack vacuole as vacuoles provide rigidity to cells and prevent quick cell division. Cell needs a dense cytoplasm and soft cell wall for cell division. (ACC NV)

## TYPES OF MERISTEMATIC TISSUE DEPENDING ON THEIR LOCATION

TYPE	LOCATION	FUNCTION
i) APICAL MERISTEM	Growing tips of shoot (shoot apex meristem) and root (root apex meristem)	Increases length (height) of the plant – PRIMARY GROWTH
ii) INTERCALARY MERISTEM	At base of leaves or internode	Increase in length of organ like leaves and internodes
iii) LATERAL MERISTEM (found in woody trees and plants)	On sides of stem and roots. 2 TYPES - 1. cork cambium (found beneath bark) 2. vascular cambium	Increase the diameter and girth – SECONDARY GROWTH



## **RECAP:**


- 1. What is the unique feature of meristem?**
- 2. Growth in plants is restricted to certain regions.Explain.**
- 3. What happens to apical meristem when it loses its ability to divide?**
- 4. Draw a well labeled diagram to show various types of meristematic tissue and their location.**
- 5. What type of tissue is found at the shoot apex?Name one more part of plant body where this type of tissue is found.**
- 6. Why vacuoles are absent in the cells of meristematic tissue?**
- 7. Do the roots of a plant continue to grow after their tips are removed?Give reason.**

## **NOTEBOOK Q's:**








**Draw flow chart of slide 4**

- 1. Define meristematic and permanent tissue**

- tissue that comes from meristematic tissue and are matured.
- made of dead cells that have lost the power to divide.
- have a definite shape, size and function and may be dead or living.
- The process by which cells arise from meristematic tissue and take up a permanent shape, size and function is called **DIFFERENTIATION**.
- **NCERT ACT 6.2 (LAB SECTION OF STEM)**



## TYPES OF SIMPLE PERMANENT TISSUE

	<b>PARENCHYMA (living cells)</b>	<b>COLLENCHYMA (living cells)</b>	<b>SCLERENCHYMA (dead cells)</b>
<b>C H A R A C T E R</b>	<ul style="list-style-type: none"> <li>• is the basic (most simple) packaging tissue that fills the spaces between other tissues and is found most abundant in plants</li> <li>• has <u>unspecialised/undifferentiated cells with thin cell walls made of cellulose</u></li> <li>• have <u>large intercellular spaces</u> as the cells are <u>loosely packed</u></li> <li>• cells have nucleus, dense cytoplasm and large vacuole</li> </ul>	<ul style="list-style-type: none"> <li>• cells are living, <u>elongated and irregularly thick at the corners made of cellulose or pectin</u></li> <li>• have <u>very less/no intercellular spaces</u></li> <li>• cells have a nucleus, dense cytoplasm and large vacuole</li> </ul>	<ul style="list-style-type: none"> <li>• <u>long, narrow thick walled cells due to deposition of lignin (a chemical substance which acts as cement and hardens them)</u>. Such cell walls are called <u>lignified walls</u> and have <u>pits</u>.</li> <li>• <u>no intercellular spaces</u> due to lignin deposits</li> <li>• cells do not have a nucleus and cytoplasm</li> </ul>
<b>F U N C T I O N</b>	<ul style="list-style-type: none"> <li>• <u>Provides support to plant</u> and parenchyma of stem and roots stores <u>nutrients and water</u> and is called <u>storage parenchyma</u></li> <li>• When it contains chloroplasts having chlorophyll and <u>performs photosynthesis</u>, it is called <u>chlorenchyma</u></li> <li>• In aquatic plants, parenchyma has <u>large air spaces to provide buoyancy to plants to help them float and exchange gases</u>, it is called <u>aerenchyma</u>.</li> </ul>	<ul style="list-style-type: none"> <li>• provides <u>flexibility and mechanical support to the aerial parts of plants (leaves, stem)</u> and allows them to bend</li> </ul> 	<ul style="list-style-type: none"> <li>• gives <u>rigidity and strength to the plant</u> and makes it <u>hard and tuff to bear stress and strains</u></li> </ul>
<b>L O C A T I O N</b>	<p>Found in <u>non woody or soft parts of roots, stem, leaves, flower, fruits</u></p>  <p><b>Transverse Section</b></p> 	<p>Found in <u>leaf stalks, below epidermis of leaves and stem</u></p>  	<p>Found in <u>stems, around vascular bundles, in the veins of leaves</u></p> <p><u>Ropes, mats made of jute, linen and hemp used in textiles, hard shells like that of walnut, husk of coconut and seed coat are</u></p>  






## **RECAP:**

- 1. State the major difference between meristematic and permanent tissues.**
- 2. Name the 3 simple permanent tissues.State their location and function.**
- 3. Differentiate between the three types of simple permanent tissues on the basis of their cell walls.**
- 4. Which tissue is called packaging tissue in plants?**
- 5. Which chemical is deposited at the corners of cells of collenchyma?**
- 6. Intercellular spaces are absent in sclerenchyma.Why?**
- 7. Water hyacinth floats on water surface.Explain.**
- 8. Name the tissue that is dead and has no intercellular spaces.**
- 9. Name the tissue that makes husk of coconut and write its any 3 characteristics.**
- 10. What is chlorenchyma?State its functions.**
- 11. How simple permanent tissues are different from complex permanent tissues in plants?**

# EPIDERMIS

## ACTIVITY 6.3 pg 72

1. Take a fresh leaf of Rheo.
2. Stretch and break it by applying pressure.
3. While breaking it, keep it stretched gently so that some peel or skin projects out from the cut.
4. Remove this peel and put it in a Petri dish filled with water and add a few drops of safranin.
5. Wait for few minutes and then transfer it onto a slide. Gently place a cover slip over it and observe under microscope



When observed under microscope, outermost layer of cells called EPIDERMIS (epidermal tissue) is seen. It is a protective layer whose main function is to protect plant from excess hot/cold and infection. It is

# EPIDERMIS

<i>Structure</i>	<i>Function</i>
Layer of cells covering surface of entire plant.	Acts as a barrier to microorganisms and pathogens.
Layer is thin and transparent.	Allow light to pass through for photosynthesis in the tissues below.
Epidermal tissues have tiny hairs projecting from surface of epidermis. Trichomes are abundant in some plant leaves.	Leaf trichomes trap water to prevent water loss.
Root hairs are elongations of epidermal cells in the root.	Root hairs increase the surface area for absorption of water from the soil.
Epidermal tissues in leaves are covered with a	

**STOMATA** : Epidermis of leaf has pores stomata surrounded by two kidney-shaped guard cells

### **FUNCTION OF STOMATA:**

- exchange of gases.
- transpiration (loss of water in the form of water vapour). It helps in conduction of water and minerals from root to other parts of plant.


### **Is the outer layer of a branch of a tree different from the outer layer of a young stem?**

As plants grow older, the outer protective tissue called epidermis changes. It is replaced by secondary meristem which gives new cells on both sides. Cells on the outside are cut off from this layer. This forms the several-layer thick cork or the bark of the tree. Cells of cork are dead and tightly arranged without intercellular spaces. They have a chemical called suberin in the walls which makes them impervious to gases and water.

**CORK** : protective in nature, prevents loss of water from plant and injury. As it does not catch fire easily and is light, it is used as an insulator and in sports goods.



### **Structure of CORK, a protective tissue**





## **RECAP:**

- 1. Name the protective tissue present in plants.**
- 2. What is the role of epidermis in plants?**
- 3. State the characteristics of cells of epidermis.**
- 4. Draw a diagram of leaf epidermal peel showing stomata and label its parts.**
- 5. How does a cork act as a protective tissue?**
- 6. Which structure/tissue protects the plants body against the invasion of parasites?**

## **NOTEBOOK Q's:**

- 1. TBQ 4**
- 2. TBQ 12**
- 3. INTEXT Q3 PG 74**

## COMPLEX PERMANENT TISSUES

Made of more than one type of cells that have a common origin and work together to do a common function.

Present in complex plants and help a plant to survive in terrestrial environment (land).

**FUNCTION:** transport water, minerals and food to all parts of plants

### COMPLEX PERMANENT TISSUE TYPES



#### XYLEM

1. tracheids
2. vessels/tracheae
3. xylem parenchyma
4. xylem sclerenchyma


#### PHLOEM

1. sieve tubes
2. companion cells
3. phloem parenchyma
4. phloem fibres

# COMPLEX PERMANENT TISSUE


## XYLEM (wood):

1. Cells have thick walls
2. Elements are tracheids, vessels, xylem parenchyma, xylem sclerenchyma
3. Vessels are most important element and are shorter and wider than tracheids
4. Vessels and tracheids have tube like structures (tubular) that helps in transporting water and minerals vertically efficiently.
5. Xylem parenchyma stores food and helps in lateral conduction of water
6. In addition to transporting water and mineral salts from roots to leaves, xylem also provides support to plants and trees because of its tough lignified vessels.




## PHLOEM (bast) :

1. Sieve tubes are tube like structures
2. Elements are sieve tubes, companion cells, phloem parenchyma, phloem




## XYLEM

- Conducts water and minerals
- Conduction takes place in one direction
- Conducting channels are tracheids and vessels
- Only xylem parenchyma is living, all other elements are dead
- Xylem conducts and gives mechanical strength also due to presence of lignified vessels



## PHLOEM

- Conducts food
- Occurs in 2 directions – upward and downward
- Conducting channels are sieve tubes
- All elements are living only phloem fibres are dead
- Phloem conducts, gives no mechanical strength





## **RECAP:**

- 1. Name the vascular tissues present in plants and state their function.**
- 2. What constitutes xylem and phloem?**
- 3. Name the dead elements of xylem and phloem.**
- 4. Draw a neat diagram of the tissue that is responsible for translocation of food in plants.**
- 5. Differentiate between vessels and tracheids.**
- 6. How are simple permanent tissues different from complex permanent tissues in plants?**

## **NOTEBOOK Q's:**

- 1. TBQ 2**
- 2. INTEXT Q 4 PG 74**

# ANIMAL TISSUES

## ON THE BASIS OF FUNCTION

EPITHELIAL  
TISSUE

CONNECTIVE  
TISSUE

MUSCULAR  
TISSUE

NERVOUS  
TISSUE

Animal Tissues

Epithelial

- Squamous
- Cuboidal
- Columnar

Connective

Areolar

- Tendon
- Ligament

Adipose

Skeletal

- Bone
- Cartilage

Fluid

- Blood
- Lymph

Muscular

- Striated
- Smooth
- Cardiac

# EPITHELIAL TISSUE (simplest tissue)

- covering or protective tissue that is separated from underlying tissue by fibrous basement membrane. Hence always grows on other tissue.
- can be **simple (made of one layer of cell)** or **stratified (made of many layers of cells)**

## CHARACTERISTICS:

1. Tightly packed cells to form a continuous sheet
2. Almost no intercellular spaces

## LOCATION:

*Skin, lining of mouth, blood vessels, alveoli, kidney tubules*

It covers the organs and cavities inside the body and separates different systems from each other. As it forms the outer layer of skin, it protects the body from drying, injury, and infections.


# CLASSIFICATION OF EPITHELIUM

On the basis of :

**NUMBER OF LAYERS**



**SIMPLE** (made of single cell layer)



**STRATIFIED** (made of many cell layer)

**CELL SHAPE**



**Squamous**




**Cuboidal**



**Simple Cuboidal**






**Simple Squamous**





## TYPES OF EPITHELIAL TISSUE

Different epithelia show different structures as they perform different functions

Type of Epithelium	Structure	Location in the body	Function
Squamous epithelium 	Cells are thin, flat, irregular cells which fit like floor tiles to form delicate lining called <b>PAVEMENT EPITHILUM</b>  <b>Nuclei in centre</b>	Oesophagus, lining of mouth, alveoli of the lungs, blood vessels	Protects the under tissue from injury, g  Exchange of gase lungs and material between cells and
Cuboidal epithelium 	Cells are cuboidal with round nucleus in centre  <b>Nuclei in centre</b>	Kidney tubules, duct of salivary glands	Gives mechanical  At times the epithe tissue folds, forms a that secretes subst Such epithilium is c <b>GLANDULAR EPIT</b>
Columnar epithelium 	Cells are more tall and less wide ( <b>PILLAR LIKE</b> ), placed side by side. Nucleus is situated near the base.	Inner lining of intestine, In respiratory tract, cells have cilia (hair like ) that move and push the mucous to clear it. Such epithilium is called <b>CILIATED</b>	Helps in absorptio excretion and secr

## **RECAP:**

- 1. Name the tissue that is protective tissue in animals.**
- 2. Which epithelium is also called pavement epithelium?**
- 3. Name one organ where ciliated epithilium is present.State the function of ciliated epithilium in the organ.**
- 4. Differentiate between different types of epithilium and draw diagrams for ea**

# CONNECTIVE TISSUE

Connects various tissues together in any organ. Most abundant among all animal tissues.

**FUNCTION:** binding, supporting and packing of organs of the body.

## CHARACTERISTICS:

Few cells, loosely packed, large intercellular spaces filled with jelly like substance called matrix

### blood (connects all tissues and organs)

has fluid matrix (ground substance) called plasma which has proteins, salts and hormones in which RBC, WBC, platelets are lying. It transports gases, food, hormones and waste to parts of body

### ligament n tendons

LIGAMENTS connects bone → bone. It is elastic, has strength and very less matrix.

TENDONS connect muscle → bones. They are less elastic, fibrous tissue with great strength and

### bone

forms skeleton that supports body and anchors muscles. It is a strong and non-flexible tissue in which bone cells are embedded in a hard matrix made of calcium and phosphorous compounds

### cartilage (widely spaced cells)

hard elastic tissue softer than bone. Matrix is firm but elastic due to presence of protein called CHONDRIIN which is why we can bend a cartilage but not the bone. It smoothens the bone

## **RECAP:**

- 1. Name the tissue that is most abundant in the animals.**
- 2. Name the tissue that helps in transportation of substances to various parts of body. Write its composition.**
- 3. Why is blood called a connective tissue?**
- 4. Differentiate between ligaments and tendons.**
- 5. Difference between areolar and adipose tissue.**






# MUSCULAR TISSUE

**FUNCTION:** It is responsible for the movement in the body.

**CHARACTERISTICS :** Cells of muscular tissue are long and called muscle fibres. Muscles have special proteins called **CONTRACTILE PROTEINS** which contract and relax to bring movement.

## TYPES OF MUSCULAR TISSUE






# TYPES OF MUSCLE TISSUE

## STRIPED or STRIATED/ SKELETAL/ VOLUNTARY MUSCLE FIBRES



## UNSTRIPED or NON-STRIATED / INVOLUNTARY MUSCLE FIBRES



## CARDIAC MUSCLE FIBRES



Called **striped or striated muscles** as they have light and dark bands or striations.  
 Called **voluntary muscles** as they move as per our will.  
 Called **skeletal muscles** as attached to all bones and help in movement.

Called **unstriped/non striated muscles** as they do not show light and dark bands.  
 Called **involuntary** as they do not move as per our will.

Structure in **between striated and non-striated muscle fibres** and **involuntary**.  
*These muscles show rhythmic contraction and relaxation throughout life and pump blood*

### STRUCTURE

- long cylinder shaped unbranched cells
- multinucleated (many nuclei)
- fibres arranged in form of bundles

### STRUCTURE

- spindle shaped cells
- uninucleated
- fibres arranged in form of sheets

### STRUCTURE

- short cylinder shaped, branched
- uninucleated
- fibres arranged in form of network

## **RECAP:**

- 1. Name the tissue responsible for movement.**
- 2. What is the role of contractile protein in muscles?**
- 3. What is the specific function of cardiac muscles?**
- 4. Why are skeletal muscles known as striated muscles?**
- 5. How do cardiac muscles resemble both striated and smooth muscle fibres?**
- 6. Write two differences b/w the muscles present in limbs, wall of alimentary canal and heart. Support your answer with diagrams.**
- 7. In what way are the various muscle fibres different with respect to the number of nuclei?**
- 8. Voluntary muscles are known as skeletal muscles. Justify.**

# NERVOUS TISSUE

Cells of nervous tissue are called **NERVE CELLS** or **NEURONS**. Many nerve cells are bound by connective tissue to make a nerve.

## FUNCTION:

1. highly specialised tissue that helps in transmitting stimuli from one place to other in the body.
2. controls all activities of the body.

**LOCATION:** Brain, spinal cord and nerves are made of nervous tissue.

**STRUCTURE:** Its structure looks like a tree with branches coming out of it.

A neuron has 3 parts –

1. a star shaped body called **CYTON** which has nucleus and cytoplasm
2. a single long part called **AXON** (carry messages away from cyton)
3. short, branched part called **DENDRITES** (carry messages towards cyton).



## **RECAP:**

- 1. Name the tissue that transmits stimulus in the body.**
- 2. State the function of nerve cells .Where do we find them?**
- 3. Explain structure of neuron with the help of a diagram.**
- 4. Differentiate between axon and cyton**

## **NOTEBOOK Q's:**

### **DRAW FLOW CHART OF SLIDE 18**

- 1. INTEXT Q 4 PG 78**
- 2. TBQ 8**
- 3. TBQ 6**
- 4. Intext Q1 PG 78**
- 5. TBQ 7 AND INTEXT Q 3 PG 78 (CLUBBED)**